



P 340 Plastic Primer & Adhesion Promoter

Description:

P340 is an excellent single component plastic primer for adhesion to factory raw plastic bumpers. It is a clear liquid slightly pigmented with a metallic pigment for easier spraying. It creates good adhesion for primer, sealer, or basecoat to these plastic parts.

Suitable Substrates:

Adheres to all plastic car parts available today, namely: Polypropylene, polyurethane and polyolefin plastics. It is not suitable for PE (polyethylene) parts.

Surface Preparation (untreated plastic):



Temper 60 min. @ 60°C.



Abrade surface with an ultra fine pad soaked in GenClean silicone remover




Wipe with GenClean silicone remover.



Air dry overnight or 20 min. @ 60°C.

Application:



Ready to spray




Compliant 1.3 – 1.4 mm
2.0 – 2.5 bar inlet pressure
HVLP 1.4-1.5 mm ; maximum 0.7 bar at the air-cap



P 340 Plastic Primer & Adhesion Promoter



1 coat
1-2 microns



10 minutes at 20 °C (68 °F)



Overcoat wet on wet with plasticized P42 **Turbo** primer



Wear suitable protection

Flash Point: 30°C (86 °F)

Specific Gravity: 0.87 kg/cm³

Solids Content: 5 % by weight

VOC: 810g/l

Coverage: 15 m²/l (theoretical)

SDS: See the safety data sheet